

CONTENTS OF VOLUME 2, 1989

Number 1

V.A. Donchenko	Electro-optical effects accompanying light propagation through an aerosol atmosphere	1(5)
I.P. Lukin	Fluctuations of specularly reflected optical waves in a scattering atmosphere	28(21)
V.E. Pavlov and L.A. Yegorova	On the choice of spectral intervals in the problems of twilight sensing of the atmosphere	19(28)
P.M. Gusack and S.S. Mikhailovskii	Two-wave investigation of temporal laser beam fluctuation spectra in the atmosphere	23(32)
V.V. Uchaikin and V.A. Litvinov	Variational interpolation method in radiative transfer theory	27(36)
P.A. Bakut, S.D. Pol'skikh, K.N. Sviridov, and N.Yu. Khomich	A probabilistic approach to achieving diffraction-limited optical system under resolution atmospheric "seeing" conditions	31(41)
B.G. Ageev, O.Yu. Nikiforova, Yu.N. Ponomarev, V.A. Sapozhnikova, and L.K. Chistyakova	Vibrational relaxation of molecular gases in intense optical fields	37(494)
S.V. Ivanov and V.Ya. Panchenko	Laser excitation of molecular vibrational transitions with dense rotational spectral structure	40(55)
N.N. Belov	Dependence of optical breakdown threshold on radius of aerosol particles	47(63)
O.I. Aldoshina, V.V. Bacherikov, and V.A. Fabrikov	Reconstruction of pulse shape and correction of coordinates of an isotropically emitting source observed through a cloud layer	52(69)
G.M. Krekov and M.M. Krekova	Some features of polarized lidar sensing of the atmosphere-ocean system	55(73)
G.N. Baldenkov, V.I. Kozintsev and Ye.E. Mozharov	Extinction coefficient measurement errors in a finite bandwidth lidar channel	62(80)
V.I. Boichenko, G.P. Zenin, V.P. Kandidov, M.S. Prakhov, Yu.P. Pyt'ev and A.I. Kholodnykh	Four-wavelengths lidar sensing of atmospheric aerosol	66(85)
V.A. Vasil'ev and A.V. Kondrat'ev	Observation modeling in the interpretation of remote sensing data	73(94)
V.V. Dembovetskii	Dynamics of CO ₂ -laser generation in a passive Q-switching mode	77(100)

A.N. Valentyuk	Propagation through stochastic scattering media with strongly fluctuating scattering parameters	80(103)
R.J. Room	Reconstruction of the true horizon brightness from smoothed remote sensing data	83(106)
O.A. Avaste and G.E. Thomas	International workshop on noctilucent clouds	86(109)
Number 2		
K.Ya. Kondrat'ev, V.G. Bondarenko, V.I. Khvorost'yanov	Three-dimensional mesoscale model for anthropogenic and cloud aerosol transfer with account of interaction between radiative and microphysical- processes and orography. Part I. Problem formulation	89(115)
K.Ya. Kondrat'ev, V.G. Bondarenko, V.I. Khvorost'yanov	Three-dimensional mesoscale model for anthropogenic and cloud aerosol transfer with account of interaction between radiative and microphysical- processes and orography. Part II. Computational results	94(122)
E.I. Kas'yanov, G.A. Titov	Influence of scattering on long-wave radiation transfer through broken clouds	102(133)
A.V. Alekseev, T.M. Belan	On the dependence of optical refraction on atmospheric parameters	109(141)
A.P. Ivanov, A.I. Kolesnik	Signal-to-noise ratio of pulsed optical sounding of targets through a scattering medium	113(146)
V.A. Udod	On the resolution of optical systems	120(154)
K.V. Shishskov, V.I. Shmal'gauzen	Approximation of the wavefront–phase structure function	125(160)
V.V. Vorob'ev, M.N. Kogan, A.N. Kucherov, E.V. Ustinov	Thermal blooming of repetitively pulsed optical radiation in a gas flow	128(164)
M.V. Kabanov, Yu.V. Kistenev, Yu.N. Ponomarev	Deformation of coherent optical pulse propagation along slant paths in a resonantly absorbing atmosphere	135(173)
Yu.N. Zakharov, Yu.M. Sorokin	Millisecond cineholography of collective optical discharges	140(180)
L.V. Kravets	On the restoration of profiles of some optical parameters of cirrus clouds using lidar techniques	146(188)
A.V. Hovhannisyan	Efficiency of direct and heterodyne detection of the optical pulses passed through turbulent channel	149(192)
A.K. Gorodetskii	Determination of cloud properties from thermal radiation measurements at 10 to 18 μm	155(198)

S.D. Burakov, A.P. Godlevskii, S.A. Ostanin	Aerosol microphysical parameter measurements by autodyne Nd ³⁺ : YAG–laser transceiver	161(206)
B.V. Kaul	Generalized lidar characteristics	166(211)
B.Sh. Perkalskis, A.G. Root, G.N. Sotiriadi, V.L. Larin	Acoustic horn antenna with corrugated lens	170(216)
M.L. Belov, V.M. Orlov, I.V. Samokhvalov	Optical signal power from a randomly rough surface sounded through the atmosphere	172(218)
V.M. Klimkin, V.N. Fedoritshev	A new atmospheric absorption band in the ultraviolet	174(220)
S.V. Butsev, V.Sh. Khismatulin	Synthesis of an algorithm for estimating the wavefront state for an adaptive optical system	176(222)

Number 3

O.B. Vasil'ev	On shortwave radiation absorption by tropospheric aerosols. I. "Clear" and continental air masses	179(227)
O.B. Vasil'ev	On the tropospheric aerosol absorption for shortwave radiation. II. Water aerosol, clouds and multilayer air masses	184(234)
A.S. Gurvich	Scintillation spectra during observations of star occultations by the earth's atmosphere	188(239)
G.A. Gulyaev, V.N. Pozhidaev	Statistical estimation of optical wave attenuation in propagation through a cloudy atmosphere	194(246)
A.S. Ginzburg	Meteorological visual range under huge aerosol overburden	200(253)
R.F. Rakhimov	On the coagulation transformations of the microphysical properties of smoke aerosol	206(259)
E.S. Bukova, V.M. Osipov, V.V. Tsukanov	Spectral line shape and shift in the 3v ₃ band of CO ₂	213(267)
V.M. Buldakov, A.N. Glushkov, V.V. Pokasov	Analysis of the effect of thermal self–action of a laser beam on echo–signal characteristics in the turbulent atmosphere	217(271)
G.Ya. Patrushev, A.I. Petrov, O.A. Rubtsova	Intensity fluctuations in experiments of location an array of corner–cube reflection through the turbulent atmosphere	221(277)
I.K. Rasulov A.A. Uzakov, A.K. Kasimov, M.N. Mamatkulov	An account of the dead time of the counting device in a experimental study of laser beam propagation through the turbulent atmosphere	227(283)
R.Kh. Almaev, L.P. Semenov, A.G. Slesarev	Statistical properties of a CO ₂ –laser pulse transmitted through an aerodispersive droplet layer	231(288)

I.G. Zakharova, Yu.N. Karamzin, V.A. Trofimov	On the nonstationary self-action of the profiled light beams	237(294)
F.Yu. Kanev, S.S. Chesnokov	A flexible mirror for adaptive compensation of stationary thermal blooming	243(302)
D.V. Gorbachev, N.V. Dogovorov, A.N. Ivanov, G.I. Il'in, V.V. Morozov, Yu.E. Pol'skii, V.T. Ternovskov, Yu.M. Khokhlov	Design features of the «PIKHTA» processing system	248(308)
I.G. Polovtsev	Stability analysis of an algorithm for reconstructing optical components profiles based on longitudinal aberrations	252(313)
V.M. Klimkin, S.F. Luk'yanenko, I.I. Potapkin, V.N. Fedorishcev	Study of the water vapor excitation function	258(322)
M.V. Kabanov, Yu.V. Kistenev, Yu.N. Ponomarev	The effect of the air-broadened line center shift on the characteristics of optical pulses propagating through the atmosphere	260(324)
K.V. Shishakov, V.I. Shmal'gauzen	Optimization of actuator positions in flexible single-plate mirrors	263(326)
V.P. Budak, V.A. Selivanova	Electrical model of the atmospheric optical transfer function	266(329)
K.P. Burneika, V.A. Dobrygin, G.I. Jonushauskas, A.S. Piskarskas, V.I. Smil'gyavichus	Experimental investigations of the propagation of picosecond light pulses in scattering media	270(332)
A.V. Koryabin, A.V. Kudryashov, A.L. Kuzminskii, G.V. Morozov, V.I. Shmal'gauzen	Real-time adaptive correction for wavefront aberrations	273(335)
Number 4		
A.S. Gurvich and V. Kan	Determination of refractive-index fluctuation spectra from observations of stellar occultation by the earth's atmosphere	277(339)
T.A. Lopasova and R.F. Rakhimov	Some peculiarities in the resonance structure of the scattering parameter for optically active spherical particles	282(344)
V.P. Nelyubina and N.F. Nelyubin	Simple method for determining corrections to the slant range	289(352)
V.F. Terzi, F.S. Yakupova and L.V. Kurt	Quantitative theory of rainbows	293(357)
V.V. Kolosov and S.I. Sysoev	Minimization of the angular characteristics of partially coherent optical radiation	297(363)
I.A. Borodina, M.A. Vorontsov and V.Ya. Panchenko	Methods for compensating thermal deformations of mirrors in unstable resonators with the help of controllable optical elements	302(369)

I.G. Polovtsev	On the errors in testing optical components by Ronchi's method	307(376)
N.A. Knyazev	Correction of the optical model of the atmosphere in situ during thermal sensing from space	313(384)
V.A. Selivanov and V.P. Budak	Optimization of the spectral sensitivity of an atmospheric re-mote-sounding system with observation in the near UV range	320(392)
A.Ya. Bogushevich and N.P. Krasnenko	Feasibility of determining atmospheric parameters by measurement of the arrival angle of sound waves	323(396)
T.A. Sushkevich, A.S. Strelkov and A.A. Ioltukhovskii	Remote sensing of optically active man-made pollutants	328(403)
G.M. Krekov and V.D. Prilepskikh	Selective properties and polarization characteristics of an anisotropic, linear, three-mirror resonator	333(409)
V.G. Astafurov and N.V. Tykhteva	Potential accuracy of wind-velocity measurements with a coherent Doppler lidar	338(415)
A.N. Krasovskii, A.M. Lyudchik, L.Ch. Neverovich, N.V. Sergeeva, L.N. Turyshev and A.F. Tchernyavskii	Contribution to the question of optimizing the parameters of ultraviolet spectrometric ozonometers	344(422)
O.B. Vasil'ev and A.V. Vasil'ev	Available information for determining the optical parameters of atmospheric layers from measurements of spectral radiation fluxes. I. Formulation of the problem and computational results for a separate layer	350(428)
O.B. Vasil'ev and A.V. Vasil'ev	Available information for determining the optical parameters of atmospheric layers from measurements of spectral radiation fluxes. II. Evaluation of the information content of measurements in a multilayered atmosphere	355(434)
V.B. Novosel'tsev and V.T. Kalaida	Software concepts for an atmospheric optics programming environment	358(438)
A.N. Valentyuk, Yu.A. Lebedinskii and V.G. Sinchenko	Dependence of the contrast of an image, recorded through a layer of a scattering medium, on the position of the layer along the observation path	364(445)
Number 5		
P.M. Abdullin, V.P. Birulin, A.I. Popov, and A.V. Sadchikhin	Laser sensing of higher hydrocarbons against the methane background	369(451)
A.V. En'shin and S.D. Tvorogov	A rigid rotor in a biharmoni- resonant field	373(456)

V.V. Kolosov and M.F. Kuznetsov	Application of the radiation transfer equation for describing wind refraction of partially coherent beams	378(462)
M.P. Angelov, M.A. Aphonin, D.S. Bochkov, V.A. Donchenko, A.A. Zemlyanov, M.V. Kabanov, A.V. Klyuev, N.N. Latyshev, V.M. Mokhov, and V.V. Sokolov	Reconstruction of the profile of an optical beam by tomographic methods	384(469)
P.A. Konyaev and N.N. Maier	Numerical stimulation of coherent atmospheric optical system	388(474)
O.B. Vasil'ev, A.P. Kovalenko	On the efficiency of filtration of primary spectrophotometric information	393(479)
V.S. Antyufeev, U.T. Kerimli, O.I. Kudinov and	Albedo reconstruction for a noneiform surface	399(487)
A.K. Gorodetskii	Atmospheric optical depth determination from measurements of the thermal radiation angular distribution	403(492)
M.V. Tantashev, N.V. Zadorina, and N.A. Rumyantseva	Scattering function of a point source in the atmosphere	410(501)
Yu.L. Lukin, V.S. Agishev, A.D. Bernikov and O.S. Mergelyan	An investigation of the spectral kinetic characteristics of laser-induced fluorescence of vegetation	
V.S. Komarov, A.N. Kalinenko, and S.A. Mikhailov	Forecasting the characteristic of the atmospheric optical channel on the basis of a physical-statistical approach	419(513)
V.D. Tudrii, A.A. Feshchenko, T.Ya. Belousova, A.N. Blinov, and V.S. Yatsyk	Statistical characteristics of morphometric cloudiness parameters in different mesostructural formations	425(521)
I.G. Polovtsev and G.V. Simonova	Effect of residual instrumental aberrations on quality control of optical components	430(527)
A.A. Popov and O.V. Shefer	An analytical expression for the coefficient of optical attenuation by a polydisperse plate crystal system	434(532)
A.V. El'nikov, S.D. Kavkyanov, G.M. Krekov, and V.N. Marichev	The procedure for processing the lidar returns from the stratosphere	438(537)
V.S. Smirnov and S.R. Uogintas	Energy of interaction between a diatomic molecule and light	441(541)
V.G. Astafurov	On lidar return photocount statistics	444(544)
M.L. Belov, A.V. Belokhvostikov, and V.M. Orlov	Effect of wind waves on radiation in the "ocean-atmosphere" system	447(546)
L.S. Ivlev, O.V. Maksimenko and V.S. Sirota	Measurements of short-period variations in ozone abundance and solar radiation	450(549)

A.P. Chaikovskii and V.N. Shcherbakov	Accounting for aerosol extinction in the interpretation of data on lidar sensing of the stratosphere	453(552)
K.V. Shishakov and V.I. Shmal'gauzen	Design of a measuring device for adaptive atmospheric optical systems	456(555)
Number 6		
V.P. Lukin	The efficiency of the wave front corrections for the general slope and defocusing	461(563)
D.S. Bochkov	Extinction of a divergent beam in the medium of large scatters	468(573)
I.N. Sokolic	Parametrization of optical characteristics for polydisperse aerosol system	472(577)
V.Ya. Panchenko, I.M. Sizova	The efficient thermolization time for the ensemble of dissociating enharmonic oscillators	477(584)
V.S. Smirnov, M.B. Sultanov, A.V. Taichenachev	Magnetization of atomic gases in constant electric field and in unpolarized light field	485(593)
V.M. Shmelev, V.I. Zakharov, A.I. Nesterenko	Explosive absorption effect of the CO ₂ laser beam in the atmosphere	489(597)
E.A. Monastyrnyi, G.Ya. Patrushev	On the spatial–temporal structure of the intensity pulsation due to atmospheric turbulence	495(605)
A.A. Zemlyanov, G.A. Mal'tseva, V.A. Pogodaev	Transmission of the optical channel in moist atmospheric hazes under the conditions of the optical breakdown	499(609)
V.N. Soshnikov	On the temperature gas effect on lowering of the aerosol optical breakdown threshold	505(615)
L.V. Antoshkin, N.N. Botygina, O.N. Emaleev, V.P. Lukin, S.F. Potanin	The adaptive optical system for an image distortions correction	510(621)
L.A. Pushnoi	On the information content and limitations of Strehl criterion	516(628)
V.E. Zuev, B.D. Belan, G.O. Zadde, V.K. Kovalevskii, N.I. Protasov, G.N. Tolmachev	Some characteristics of the aerosol pollution over Kemerovo city	523(636)
A.P. Vasil'kov, O.A. Ershov, A.I. Sudbin, A.V. Smirnov	Air–craft remote measurements of the marine spectral radiance index	527(642)
V.V. Kozoderov, I.I. Mokhov, T.V. Panova	Investigation of the intraannual variations of the earth radiation budget and its long wave component based on satellite data	533(649)
V.T. Kalaida, N.V. Molchunov, and S.V. Sapozhnikov	Linear algorithm for image restoration	539(657)

N.V. Zamyatin, V.M. Klimkin, G.V. Fedotova, V.A. Chikurov	Single-electron response of an image intensifier with a microchannel electron multiplier section energized by a pulsed power source	545(665)
I.S. Tyryshkin, Yu.N. Ponomarev, B.A. Tikhomirov, B.S. Mogilnitskii	Nd: YAG laser system with a passive Q switch designed for delivering high energy short pulses with small angular divergence	548(668)
V.P. Yakubav, N.A. Simakova, M.A. Erofeeva	On the estimation of the atmospheric integral thickness using the refraction data	552(671)
Number 7		
G.A. Skripko	Prospects for the use of Ti^{3+} : Al_2O_3 lasers in atmospheric studies	555(675)
O.K. Kostko and N.N. Kostko	Resonance scattering of laser radiation by nitrogen and nitrogen oxide molecules	573(699)
S.F. Luk'yanenko, T.I. Novakovskaya, and I.N. Potapkin	Study of the H_2O vapor absorption spectrum in the region 270–330 nm	579(706)
V.M. Sazanovich, S.M. Slobodyan, and B.N. Chen	Experimental investigation of the correlation of direct and specularly reflected waves	583(710)
V.L. Derbov, Yu.N. Ponomarev, and S.K. Potapov	Application of the Fourier–Bessel transformation for the numerical solution of the equations of nonlinear optics	587(715)
V.V. Vorob'ev, M.E. Grachev, A.S. Gurvich, and V.A. Myakinin	Acoustic measurements of the energy distribution in the transverse cross section of a laser beam	593(723)
I.E. Naats	The inverse problem method in the polarization sounding of dispersed media	597(728)
V.E. Zuev, B.D. Belan, V.V. Veretennikov, G.O. Zadde, M.V. Panchenko, and R.F. Rakhimov	Optical manifestations of noncondensation aerosol clouds	605(731)
A.I. Dem'yanikov	Optimal planning of experiments on sounding the upper layers of the earth's atmosphere in the 15–mm band of CO_2 . Temperature, kinetics, composition	610(744)
V.S. Suetin and A.M. Ignatov	Effect of regional characteristics of the atmosphere on the accuracy in determining the temperature of the ocean surface from IR measurements from space at two angles	615(750)
Yu.A. Ivakin, A.P. Cnerepanov, R.Sh. Tsvyk, I.Ya. Shapiro, and Yu.F. Yatskeev	Laser meter for measuring radiation attenuation coefficients at $\lambda = 10.6 \mu m$	621(758)
V.V. Antonovich, G.O. Zadde, and A.V. Podanev	Numerical study of the aerosol extinction at $\lambda = 10.6 \mu m$ during the evolution of a stratus cloud	626(764)

G.A. Skripko, S.G. Bartoshevich, V.V. Zuev, and A.N. Mal'tsev	Laser radiation emission in Ti^{3+} : Al_2O_3 crystals pumped by electron beams	630(769)
A.I. Fedorov and S.A. Brichkov	A XeCl laser with spark preionization	633(772)
N.A. Agapov	Modeling of errors in the manufacture of optical surfaces	638(776)
M.L. Belov and V.M. Orlov	Image irradiance structure in the sensing of the sea surface through the atmosphere	641(778)
V.E. Zuev and S.M. Sakerin	Interdepartmental session of the working group "Atmosphere" of the committee "Natural- resources and ecological research from space" of the interdepartmental scientific-technical council for space research of the USSR Academy of Sciences, (March 3-4 and April 6- 27, 1989, Tomsk)	645(781)

Number 8

V.V. Belov	Theory of linear vision systems. Modeling of the linear-systems characteristics	649(787)
B.D. Belan, G.O. Zadde, M.V. Panchenko, T.M. Rasskazchikova, and G.N. Tolrrachev	On the transformation of the particle-size spectrum of an aerosol due to a change in the humidity	661(800)
I.I. Ippolitov, Yu.K. Krakovetskii, V.N. Marichev, L.N. Popov and I.I. Fedotov	Investigation of the meridional profile of Na emission in the upper atmosphere at high latitudes	666(806)
A.M. Samusenko	On a mechanism of hydroxyl airglow emission	671(811)
A.M. Samusenko	On a mechanism for mesospheric sodium nightglow	679(821)
D.A. Bezuglov	Analysis of the performance of adaptive optical systems with noisy control channels	683(826)
O.A. Yevseev, A.N. Isupov, and K.V. Shishakov	Flexible membrane mirror for adaptive optical information-measuring systems	687(830)
V.P. Kandidov, I.V. Larionova, and V.V. Popov	Modal corrector of the lowest-order phase aberrations	693(836)
I.E. Naats	Optical methods in the study of the dynamics of the atmospheric boundary layer	699(843)
V.V. Veretennikov	Method of tomographic sounding in lidar studies of the atmosphere	706(851)
G.N. Baldenkov, V.I. Kozintsev, and E.E. Mozharov	Discussion of the errors in lidar measurements of the attenuation efficient of the atmosphere due to the variability of the scatter phase function	712(857)

A.M. Khazanov, G.A. Koganov and E.P. Gordov	Solution of the sounding problem based on the quantitative description of an LR lidar	717(862)
A.L. Butakov, V.I. Voronov, G.S. Evtushenko, V.V. Zuev, A.E. Kirilov, A.N. Mal'tsev, S.Yu. Mirza, Yu. Polunin, V.B. Sukhanov, and V.O. Troitskii	Multicolor laser for a lidar for sounding the parameters of the atmosphere	723(869)
G.S. Kruglik, P.N. Nazarenko, N.V. Okladnikov, G.A. Skripko, and A.A. Stavrov	Autonomous tunable multi frequency near-IR laser	729(876)
S.D. Burakov, A.P. Godlevskii, E.P. Gordov, N.E. Gubaidullin, A.I. Zhiliba, and S.A. Ostanin	Increasing the sensitivity of the method of narrow-band intracavity laser spectroscopy by intracavity second-harmonic generation	735(883)
P.A. Bakut, V.V. Milovzorov, A.A. Pakhomov, and A.D. Ruakhin	Image reconstruction from incomplete information on the spatial spectrum in a multiaperture system	738(886)
K.I. Gobrusenko and B.P. Ivanenko	Method for determining the optical thickness of the atmosphere from multiangle laser sounding data	741(888)
V.S. Maximyuk and S.V. Tat'yanin	Analysis of quantitative data on the aerosol attenuation coefficient of the troposphere and stratosphere in a subsatellite experiment	744(891)
Sh.A. Akhmedov	Structure of the field of reflected solar radiation in the visible region of the spectrum from "Intercosmos – 21" satellite data	747(894)
Number 9		
N.G. Ryabinina, Ya.A. Teifel, and V.E. Pavlov	On the integration of different scattering phase functions in the ultraviolet	751(899)
A.A. Kokhanovskii	The geometric-optics approximation for the absorption cross section of two-laser sphere	760(908)
V.V. Dembovetskii	Hysteresis phenomena in a CO ₂ laser with a nonlinear absorber	765(913)
A.D. Bykov, T.M. Kadoshnikova, G.E. Sabinina, V.L. Serdyukov, and L.N. Sinitsa	The 3v ₃ band of the HD ¹⁶ O molecule	770(918)
A.P. Ivanov, G.Ya. Patrushev, and A.P. Rostov	Experimental investigation fluctuations of spherical wave at reflected from a mirror in a turbulent atmospheres	774(923)
V.P. Nelyubina and N.F. Nelyubin	Calculations of refraction angles based on the homogeneous model of the atmosphere	779(928)
V.A. Aleshkevich, G.D. Kozhoridze, A.N. Matveev, and M.V. Shamonin	Effect of time-dependent pulsations of the wind velocity on the transformation of a laser beam in the atmosphere	784(933)

V.A. Banakh and I.N. Smalikho	Effect of turbulence on the thermal self-action of a laser beam in the atmosphere	790(939)
Yu.E. Geints, A.A. Zemlyanov, and V.A. Pogodaev	On the integral transmission of droplet media for pulsed CO ₂ laser radiation	798(948)
V.V. Rozanov and V.S. Kostsov	Interpretation of ground-based radiometric measurements in the 0.8–1.35 cm region including a parametrization of systematic errors	804(954)
Yu.F. Arshinov, B.D. Belan, S.M. Bobrovnikov, N.P. Krasnenko, I.A. Razenkov, and M.G. Fursov	Possibility of integrated study of the surface boundary laser by remote methods	812(963)
O.I. Aldoshina, V.V. Bacherikov, and V.A. Fabrikov	Passage of a signal through a cloud laser to a remote detector	817(969)
A.V. Ivonin and L.A. Pushnoi	Wavefront variance measurements from speckle pattern statistics	822(975)
S.G. Zvenigorodskii and A.A. Krivobok	On calculations the characteristics of radiation fields in numerical models of atmospheric processes	827(981)
V.V. Veretennikov, S.V. Loginov, and S.M. Sakerin	A technique for retrieving the atmospheric transmittance from data on the sea horizon brightness	832(987)
A.A. Feoktistov, V.S. Artemkov, and V.P. Popov	Accounting for atmospheric effects in automated processing of data acquired by an airborne multichannel scanning system	835(990)
S.V. Butsev and V.Sh. Khismatulin	On the accuracy of an algorithm for evaluating the state of a wavefront	838(993)
A.V. El'nikov, V.V. Zuev, V.N. Marichev, and S.I. Tsaregorodtsev	First results of lidar observations of stratospheric ozone above western Siberia	841(995)
A.A. Makarov and V.A. Chikurov	Characteristics of an LI-702-3 supervidicon as an element of a multichannel photon counter	843(997)
A.A. Makarov and V.V. Smolin	A simple meteorological system for supporting optical measurements in the atmosphere	846(1000)
A.I. Fedorov, S.I. Tikhomirov, and B.A. Zhunusov	Pulsed CO ₂ laser	849(1003)
G.A. Vandysheva and L.N. Sinitza	The absorption spectrum of nitrous oxide in the 1 μm range	852(1006)
A.Kh. Khrgian	Review to the monograph by K.A. Tavarikiladze "Simulation of solar extinction by aerosols and methods for atmospheric pollution monitoring"	854(1008)

Number 10

V.V. Belov, G.M. Krekov, and I.Yu. Makushkina	Isoplanarity in vision systems	857(1011)
A.P. Ivanov, V.A. Loiko, and V.V. Berdnik	Determination of the absorption coefficient of layers of a weakly absorbing dispersed medium with arbitrary thickness	864(1019)
L.I. Chaikovskaya	On the accuracy of solutions of the scalar transfer equation	870(1025)
V.N. Aref'ev	Molecular water vapor absorption of radiation in the 8-13 μm atmospheric relative transparency window	878(1034)
V.P. Bulatov, F.N. Dzegilenko, V.A. Lozovskii, Yu.V. Matyagin, O.M. Sarkisov, and E.A. Sviridenkov	Identification of the electronic-vibrational-rotational spectrum of the HO ₂ radical in the region 1,22–1,27 μm	895(1055)
A.A. Vigasin	Weakly bound molecular complexes in the atmosphere	907(1069)
L.G. Astaf'eva and A.P. Prishivalko	Absorption of radiation and optical fields inside metal particles with an oxide film	925(1089)
V.I. Bukatyi and M.Yu. Sverdlov	Diagnostics of the thermal halo surrounding particles burning at reduced atmospheric pressure	925(1094)
A.P. Sukhorukov, V.N. Titov, and V.A. Trofimov	Codirectional four-wave interaction under conditions of strong energy transfer between the waves	933(1099)
I.E. Naats	Inverse problems of light scattering by aerosol systems interacting with physical fields	940(1107)
M.L. Belov, V.M. Orlov, and V.A. Balyakin	On the lidar received power in sounding a foam-covered sea surface through the atmosphere	945(1113)
A.I. Zhiliba	Brief communications quantum fluctuations of a laser with intracavity second-harmonic generation	949(1118)

Number 11

V.P. Sadovnikov, G.M. Strelkov, and M.F. Shalaev	Distortions of a laser pulse in a Raman-scattering medium	953(1123)
T.Z. Muldashev, V.E. Pavlov, and Ya.A. Teifel	On the determination of the atmospheric optical depth due to aerosol scattering from sky brightness measurements in the visible region of the spectrum	959(1130)
E.O. Dzhetybaev, T.Z. Muldashev, and I.V. Mishin	Calculation of optical transfer functions of the atmosphere	964(1135)

Yu.I. Terent'ev	Diffraction of light by a thin flat screen with a straight edge. Part I	970(1141)
Yu.I. Terent'ev	Derivation of simple expressions for the light intensity for the case of diffraction by a thin screen with a straight edge. Part II.	975(1147)
E.G. Golovina, L.A. Sokolova, and A.V. Shashkin	Investigation of the spectral attenuation of direct solar radiation by measurements in the visible range	982(1154)
V.N. Aref'ev and K.N. Visheratin	Investigation of the spectral parameters of the vibrational-rotational lines of the ν_1 band of SO_2	988(1160)
A.A. Babin, A.V. Karov, F.I. Fel'dshtein, G.I. Freidman	Spectrometer for nonlinear Spectroscopy of molecular Gases in the near IR	992(1166)
V.A. Banakh, N.N. Kerkis, and I.N. Smalikho	Thermal blooming of laser beams along inhomogeneous paths in a turbulent atmosphere	996(1171)
D.S. Bobuchenko and V.K. Pustovalov	Nonlinear propagation of narrow pulses of optical radiation in a solid-particle aerosol	1002(1179)
V.P. Kandidov, D.P. Krindach, O.A. Mitrofanov, and V.V. Popov	Adaptive system for the light beam phase modal control	1009(1187)
F.Yu. Kanev and S.S. Chesnokov	Dynamical algorithms for compensating the nonstationary wind refraction	1015(1195)
S.D. Burakov, A.P. Godlevskii, and S.A. Ostanin	Investigation of the intracavity method for measuring transmission near $10 \mu\text{m}$ on real paths	1020(1200)
V.S. Antyufeev and A.A. Marshak	The Monte-Carlo method and the transfer equation for plant canopies	1026(1206)
M.L. Baibakov, D.M. Kabanov, A.D. Martynov, S.M. Sakerin, and Yu.S. Trofimov	Programmable spectrophotometric complex for airborne laboratory	1032(1213)
P.N. Nazarenko, N.V. Okladnikov, G.A. Skripko, and A.A. Stavrov	Narrow-band high-repetition-rate near-IR sources with online control of the radiation parameters	1038(1220)
V.F. Elaev, G.D. Lyakh, and V.P. Pelenkov	CuBr laser with average lasing power exceeding 100 W	1045(1228)
V.A. Kapitanov, Yu.N. Ponomarev	Ninth All-Union symposium on high- and ultrahigh resolution spectroscopy (Yakutsk, June 28-July 3, 1989)	1048(1231)

Number 12

O.G. Bokov	Multipole formalism in the study of intermolecular and intramolecular interactions	1053(1235)
------------	--	------------

V.L. Dvortsov and S.G. Zvenigorodkii	On the estimation of cloud and post-volcanic effects in the calculations of UV and visible radiation fields in radiation-convective and photochemical atmospheric models	1064(1248)
Yu.N. Grachev	Propagation of a laser pulse through the soot aerosol	1071(1255)
A.V. Prokopov, E.V. Remaev, and A.V. Brazhnichenko	Optical refraction integral theorems for three-dimensional inhomogeneous atmospheric and geodetic applications	1076(1260)
S.V. Ivanov and V.Ya. Panchenko	Collisionless laser excitation of vibrational molecular transitions with a complicated rotational structure	1081(1265)
V.F. Larin and S.A. Rumyantsev	Numerical simulation on the formation of ozone and nitrogen oxides at the pulsed microwave discharge in air	1089(1273)
V.L. Derbov, A.D. Novikov, Yu.N. Ponomarev, and S.K. Potapov	Numerical simulation of nonlinear resonance spectra in aperture-limited light beam	1095(1280)
V.A. Donchenko, M.V. Kabanov, E.V. Lugin, A.A. Nalivaiko, and A.V. Shapovalov	The effects of interaction of optical pulses in a weak nonlinear medium	1101(1286)
K.K. Konstantinov, A.N. Starodumov, and S.A. Shlenov	Effect of rotational SRS on the angular spectrum of laser radiation in the atmosphere	1106(1291)
A.N. Starodumov and A.V. Shipulin	Nonlinear changes of the refractive index of air accompanying photodissociation of ozone and their effect on the angular spectrum of the radiation	1110(1295)
A.G. Aristov, L.Ya. Margolin, L.Ya. Polonskii, and L.N. Pyatnitskii	Formation and propagation of nondiffracting laser beams	1114(1299)
D.A. Bezuglov, Z.P. Mastropas, E.N. Mishchenko, E.N. Myasnikov, S.V. Tolstousov, and V.L. Tyurikov	Investigation of the possibility of compensating the cross effect of the drives of a flexible adaptive mirror	1119(1305)
S.M. Chernin and E.G. Barskaya	Multipass matrix–array systems—promising as the most promising long path–length systems for high resolution spectroscopy	1124(1310)
B.V. Bondarev, A.V. Karablev, S.M. Kobtsev, and V.M. Lunin	Frequency–stabilized CW dye laser with precise automatic tuning of the wavelength tuning for the high–resolution spectroscopy	1132(1319)
Yu.I. Terent'ev	New evidence for the objective reality of Young's description of the formation of a diffraction pattern from a screen	1137(1325)
	Arkadii Petrovich Ivanov (on his 60th birthday)	1141(1328)
	Contents of volume 2, 1989	1143(1330)
	Author's index, volume 2, 1989	1162(1342)